

FOR EXPORT USE ONLY

RESTRICTED USE PESTICIDE

Restricted in the United States of America to Use by Certified Applicators Due To Avian Toxicity, and Acute Oral and Inhalation Toxicity.

Net Contents:

Furadan 35ST
Seed Treatment

Not for Sale in the United States of America
NOT REGISTERED FOR USE IN THE UNITED STATES OF AMERICA

EPA Est. No. 279-NY-1

Active Ingredient	By Wt.
2,3-Dihydro-2,2-dimethylbenzofuran-7-yl methylcarbamate.....	33.0%
Inert Ingredients:	<u>67.0%</u>
	100.0%

This product contains 350 grams/liter of active ingredient.

KEEP OUT OF REACH OF CHILDREN
DANGER-POISON

FIRST AID

Contains an N-methyl carbamate that inhibits cholinesterase.

If Swallowed: Contact a medical doctor. Drink 1 or 2 glasses of water and induce vomiting by touching the back of the throat with a finger. Do not induce vomiting or give anything by mouth to an unconscious person.

If Inhaled: Move person to fresh air. If person is not breathing, call 911 (within the U.S.A.) or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

ТІЛЬКИ ДЛЯ ЕКСПОРТУ

ПЕСТИЦИДОБМЕЖЕНОГО ВИКОРИСТАННЯ
Обмежене використання в Сполучених Штатах
Америци через наявність токсичності для птахів ,
та короткочасного токсичного ефекту від вдихуваного повітря

Зміст:

Фурадан 35ST

Для протруювання насіння

Заборонено продавати в Сполучених Штатах Америки
НЕ ЗАРЕЄСТРОВАНО ДЛЯ ВИКОРИСТАННЯ В СПОЛУЧЕНИХ ШТАТАХ АМЕРИКИ

Управління з охорони навколишнього середовища (EPA) оцін. № .. 279-NY-1

Активний компонент	Питома вага .
2,3-дигідро-2,2-диметілбензофуран-7-yl метилкарбамат	33.0%
Інертні компоненти:	67.0%
	100.0%

Цей продукт містить 350 грамів/літр активного компоненту.

ЗБЕРІГАЙТЕ В МІСЦІ, НЕДОСТУПНОМУ ДЛЯ ДІТЕЙ
ОБЕРЕЖНО – ОТРУЙНЕ

ПЕРША ДОПОМОГА

Містить N-метил карбамат, що сповільнює активність холінестерази.

У разі проковтування: Зверніться до лікаря. Випийте 1 або 2 стакани води та стимулюйте блювоту, доторкнувшись пальцем до задньої стінки гортані. Забороняється стимулювати блювоту або давати що-небудь людині, що знепритомніла.

У разі вдихання: Проведіть (перенесіть) постраждалого в місце, де є свіже повітря. Якщо постраждалий не дихає, зателефонуйте 911 (в межах США) або до медичної допомоги. Потім зробіть штучне дихання, бажано, якщо це можливо, "рот у рот". За подальшими порадами радою зателефонуйте до Центру отруєнь або лікарю.

У разі попадання в очі: Не закривайте очі, повільно промийте їх водою протягом 15-20 хвилин. Зніміть контактні лінзи, якщо вони є, через перші 5 хвилин, й потім продовжуйте промивати очі. За подальшими порадами радою зателефонуйте до Центру отруєнь або лікарю.

У разі попадання на шкіру або одяг: Зніміть заражений одяг. Негайно промийте шкіру водою рясно протягом 15-20 хвилин. За подальшими порадами радою зателефонуйте до Центру отруєнь або лікарю.